Academic Year - 2017-18 Semester - I

Department of Electrical Enginnering

Class: BE ELECTRICAL

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof. Dawange M.V.	Power System Operation & Control(TH)	3.2	Good
2	Prof. Varade K.P	Introduction of Electrical Transportation	2.9	Good
3	Prof. Vaidya V.K	Control System -II(TH)	3.2	Good
4	Prof. Wagh J.G.	PLC & SCADA(TH)	3.2	Good
5	Prof. Sahu V.K.	Power Quality(TH)	3.5	Good

1.0 --1.5 ----Poor
1.6--2.5---Average
2.6--3.5----Good
3.6--4.0-----Excellent

H.O.D.
Dept. of Electrical Engg.
Sir Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi,Nasik-422102

Department of Electrical Enginnering

Class: TE ELECTRICAL

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof. Shaikh N.B	Electrical Machines-II(TH)	3.6	Excellent
2	Prof. Rahul H.	Power Electronics(TH)	3.3	Good
3	Prof. Satav A.K	Electrical Installation Maintenace & Testing(TH)	3.6	Excellent
4	Prof. Wagh J.G.	Manegement Techniques(TH)	3.1	Good
5	Prof. Singh A.K.	Advance Microcontroller & Application(TH)	3.7	Excellent

1.0 --1.5 ----Poor
1.6--2.5---Average
2.6--3.5----Good
3.6--4.0----Excellent

				Grade
				Excellent
				Good
			3.6	Excellent
			3.1	Good
				Excellent

H.O.D.
Dept. of Electrical Engg.
Sir Visvesvaraya Institute of Technology
Chincholi, Nasik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi,Nasik-422102

Department of Electrical Enginnering

Class: SE ELECTRICAL

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof. Varade K.P.	Analog & Digital Electronics(TH)	3.6	Good
2	Prof. Sahu D.K.	Electrical Measurments & Instrumentation(TH)	2.7	Good
3	Prof. Sakhare S.R.	Engineering Mathematics-III(TH)	3.8	Excellent
4	Prof. Sahu V.K.	Material Science(TH)	2.9	Good
5	Prof. Satav A.K.	Power Genetation Techniquies(TH)	3.1	Good

1.0--1.5 ----Poor
1.6--2.5---Average
2.6--3.5----Good
3.6--4.0----Excellent

H.O.D.
Dept. of Electrical Engg.
Sir Visvesvaraya Institute of Technology
Chincholi, Nasik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi, Nasik-422102

2017-18

Academic Year 2017-18 Semester = II

Department of Electrical Enginnering

Class: TE ELECTRIAL

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof. Zurale P.B	Power System II (TH)	2.8	Good
2	Prof. Vaidya V.K	Control System I (TH)	3.2	Good
3	Prof. Singh Ankita.	Utilization Of Elect. Engg. (TH)	3.3	Good
4	Prof. Shaikh N.B	Design Of Elect. Machines (TH)	3.3	Good
5	Prof. Patil P.C.	Elect. Audit & Management (TH)	3.1	Good

1.0 --1.5 ---Poor
1.6--2.5---Average
2.6--3.5---Good
3.6--4.0----Excellent

Principal
Sir Visvesvaraya Institute of Technology
Chincholi, Nashik-422102

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Department of Electrical Enginnering

Class: SE ELECTRIAL

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof. Dawange M.V.	Power System I (TH)	3.1	Good
2	Prof. Varade K.P	Elect. Machines I (TH)	3.3	Good
3	Prof. Sahu V.K	Network Analysis(TH)	3.2	Good
4	Prof. Vaidya V.K.	Numerical Methods & Comp. Programming (TH)	3.3	Good
5	Prof. Singh Ankita	Fundamentals of Microcontroller & Applications (TH)	3.5	Good

1.0 –1.5 ---Poor
1.6–2.5---Average
2.6–3.5---Good
3.6–4.0----Excellent

Principal
Sir Visvesvaraya Institute of Technology
Chincholi, Nashik-422102

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Department of Electrical Enginnering

Class: BE ELECTRIAL

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof.Chakor A.M	SwitchGear & Protection (TH)	3.3	Good
2	Prof. Autade V.V.	Power Electronics	3.6	Excellent
3	Prof. Dawange M.V	High Voltage Engg. Elective-III) (TH)	3.6	Excellent
4	Prof. Varade K.P	Smart Grid (Elective-IV) (TH)	3.6	Excellent

1.0 --1.5 ----Poor
1.6--2.5---Average
2.6--3.5----Good
3.6--4.0-----Excellent

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nasik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi-422102

Sem-I 2016-17 3

Department of Electrical Enginnering

Class: SE ELECTRICAL

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof. Varade K.P	Analog & Digital Electronics(TH)	3.6	Good
2	Prof. Sahu D.K	Electrical Measurments & Instrumentation(TH)	2.7	Good
3	Prof. Sakhare S.R	Engineering Mathematics-III(TH)	3.8	Excellent
4	Prof. Sahu V.K.	Material Science(TH)	2.9	Good
5	Prof. Satav A.K.	Power Genetation Techniquies(TH)	3.1	Good

1.0 --1.5 ----Poor
1.6--2.5---Average
2.6--3.5----Good
3.6--4.0-----Excellent

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi, Nashik-422102

Department of Electrical Enginnering

Class: TE ELECTRICAL

Sr. No.	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof. Shaikh N.B	Electrical Machines-II(TH)	3.6	Excellent
2	Prof. Rahul H.	Power Electronics(TH)	3.3	Good
3	Prof. Satav A.K	Electrical Installation Maintenace & Testing(TH)	3.6	Excellent
4	Prof. Wagh J.G.	Manegement Techniques(TH)	3.1	Good
5	Prof. Singh A.K.	Advance Microcontroller & Application(TH)	3.7	Excellent

1.0 --1.5 ----Poor
1.6--2.5---Average
2.6--3.5----Good
3.6--4.0-----Excellent

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Principal
Sir Visvesvara[illegible] Institute of Technology
Chinch[illegible]422102

S.E

2016-17

Sem-II

Department of Electrical Engineering

Class: SE Electrical

Sr. No.	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof.Varade K.P.	Electrical M/C- I (TH)	2.9	Good
2	Prof.Wagh J.G.	Numerical Methods & Computer Programming(TH)	2.7	Good
3	Prof.Singh A.K.	Fundamentals of Microcontroller & Applications(TH)	3.3	Good
4	Prof.Sahu V.K.	Network Analysis(TH)	2.9	Good
5	Prof.Sahu D.K.	Power System-I(TH)	2.9	Excellent

1.0 --1.5 ----Poor
1.6--2.5---Average
2.6--3.5---Good
3.6--4.0----Excellent

		Avg. Feedback	Grade
		2.9	Good
		2.7	Good
		3.3	Good
		2.9	Good
		2.9	Excellent

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi,Nasik-422102

T-E

Department of Electrical Engineering

Class: TE Electrical

Sr. No	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof.Shaikh N.B	Design of Electrical Machines(TH)	3.2	Good
2	Prof.Singh A.K	Utilisation of Electrical Energy(TH)	3.3	Good
3	Prof.Sahu V.K	Energy Audit & Management(TH)	3.2	Good
4	Prof.Sahu. D.K	Power System-II(TH)	3.2	Good
5	Prof.Vaidya V.K	Control System-I(TH)	3.3	Good

1.0 –1.5 ---Poor
1.6–2.5---Average
2.6–3.5----Good
3.6–4.0-----Excellent

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi,Nasik-422102

BE

Department of Electrical Enginnering

Class: BE Electrical

Sr. No.	Name of Staff	Name of Subject	Avg. Feedback	Grade
1	Prof.Dawange	High Voltage Engineering(TH)	3.6	Excellent
2	Prof.Satav A.L	Switchgear & Protection(TH)	3.7	Excellent
3	Prof.Rahul H.	Power Electronics Controlled Drives(TH)	3.6	Excellent
4	Prof.Vaidya V.K	Smart Grid(TH)	3.6	Excellent

1.0 –1.5 ---Poor
1.6--2.5---Average
2.6--3.5---Good
3.6--4.0---Excellent

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Principal
Sir Visvesvaraya Institute of Technology
Chincholi,Nasik-422102

Sem - 15-16
Sem-I

Pravara Rural Education Society's

SIR VISVESWARAYA INSTITUTE OF TECHNOLOGY, NASHIK

Department Of Electrical Engineering

Date: 2/8/2015

Report on Feedback Received from Students

Feedback received from B.E.Elect.

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	PSOC	3.2
2	Prof.J.G.Wagh	PLC&SCADA	3.00
3	Prof.H.S. Chaudhari	CS-II	3.4
4	Prof.P.mungase	SG	3.00
5	Prof.N.B.Shaikh	PQ	3.9
6	Prof.R.Pawar	IE	3.09

Feedback received from T.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	I&TM	3.55
2	Prof.S.A.Thete	AMCA	2.59
3	Prof.D.S.Badgujar	PE	2.84
4	Prof.P.B.Zurale	EIMT	3.29
5	Prof.N.B.Shaikh	M/C-II	2.31

Feedback received from S.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.K.P.Varade	ADE	3.39
2	Prof.S.S.Kardel	M-III	3.00
3	Prof.P.V.Mungase	MS	3.41
4	Prof.J.G.Wagh	PGT	3.00
5	Prof.M.R.Bankar	EMI	3.33

Remedial Measures as per feedback received from students

*According to the results of feedback analysis respective staffs are taking efforts to improvise overall performance.

HOD Electrical

(Prof.Thete S.A.)
H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

15-16

sem - II

Pravara Rural Education Society's

SIR VISVESWARAYA INSTITUTE OF TECHNOLOGY, NASHIK

Department Of Electrical Engineering

Date: 16/02/2016

Report on Feedback Received from Students

Feedback received from B.E.Elect.

Sr.No.	Name of the Staff	Subject	Rating
1	Prof K P Varade	RES	3.29
2	Prof.Badgujar D.S.	IDC	2.79
3	Prof.H.S. Chaudhari	SGP	3.57
4	Prof.Dawange M.V.	HV	2.44

Feedback received from T.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.P B Zurale	PS-II	3.39
2	Prof.Varade K.P.	UEE	2.54
3	Prof.Gadekar R.S.	CS-I	3.41
4	Prof.Mankar M.R.	EA&M	2.30
5	Prof.N.B.Shaikh	DEM	3.33

Feedback received from S.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof. A K singh	FM&M	3.55
2	Prof.Varade K.P.	EM-I	2.59
3	Prof.N.B.Shaikh	PS-I	2.84
4	Prof.Gadekar R.S.	NM&CP	3.29
5	Prof.P.B.Zurale	NA	2.31

Remedial Measures as per feedback received from students

*According to the results of feedback analysis respective staffs are taking efforts to improvise overall performance.

HOD Electrical

(Prof.Thete S.A.)

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Pravara Rural Education Society's

SIR VISVESWARAYA INSTITUTE OF TECHNOLOGY, NASHIK

Department Of Electrical Engineering

Date: 31/03/2015

Report on Feedback Received from Students

Feedback received from B.E.Elect.

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	RES	3.29
2	Prof.Badgujar D.S.	IDC	3.12
3	Prof.H.S. Chaudhari	SGP	3.57
4	Prof.Dawange M.V.	HV	2.97

Feedback received from T.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	PS-II	3.27
2	Prof.Varade K.P.	UEE	3.13
3	Prof.Gadekar R.S.	CS-I	3.27
4	Prof.Mankar M.R.	EA&M	2.56
5	Prof.N.B.Shaikh	DEM	3.41

Feedback received from S.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.S.A.Thete	FM&M	3.55
2	Prof.Varade K.P.	EM-I	3.01
3	Prof.N.B.Shaikh	PS-I	3.41
4	Prof.Gadekar R.S.	NM&CP	3.52
5	Prof.P.B.Zurale	NA	2.43

Remedial Measures as per feedback received from students

*According to the results of feedback analysis respective staffs are taking efforts to improvise overall performance.

HOD

H.O.D.
Dept. of Electrical Engg.
SVM Engineering College,
Chincholi - 422 101.
DIST. NASHIK

2014-1

Pravara Rural Education Society's

SIR VISVESWARAYA INSTITUTE OF TECHNOLOGY, NASHIK

Department Of Electrical Engineering

Date: 2/8/2014

Report on Feedback Received from Students

Feedback received from B.E.Elect.

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	PSOC	3.2
2	Prof.J.G.Wagh	PLC&SCADA	3.00
3	Prof.H.S. Chaudhari	CS-II	3.4
4	Prof.P.mungase	SG	3.00
5	Prof.N.B.Shaikh	PQ	3.9
6	Prof.R.Pawar	IE	3.09

Feedback received from T.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	I&TM	3.55
2	Prof.S.A.Thete	AMCA	2.59
3	Prof.D.S.Badgujar	PE	2.84
4	Prof.P.B.Zurale	EIMT	3.29
5	Prof.N.B.Shaikh	M/C-II	2.31

Feedback received from S.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.K.P.Varade	ADE	3.39
2	Prof.S.S.Kardel	M-III	3.00
3	Prof.P.V.Mungase	MS	3.41
4	Prof.J.G.Wagh	PGT	3.00
5	Prof.M.R.Bankar	EMI	3.33

Remedial Measures as per feedback received from students

*According to the results of feedback analysis respective staffs are taking efforts to improvise overall performance.

HOD Electrical

H.O.D.
(Prof. Thete S.A.)
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Pravara Rural Education Society's

SIR VISVESWARAYA INSTITUTE OF TECHNOLOGY, NASHIK

Department Of Electrical Engineering

Date: 16/02/2014

Report on Feedback Received from Students

Feedback received from B.E.Elect.

Sr.No.	Name of the Staff	Subject	Rating
1	Prof K P Varade	RES	3.29
2	Prof.Badgujar D.S.	IDC	2.79
3	Prof.H.S. Chaudhari	SGP	3.57
4	Prof.Dawange M.V.	HV	2.44

Feedback received from T.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.P B Zurale	PS-II	3.39
2	Prof.Varade K.P.	UEE	2.54
3	Prof.Gadekar R.S.	CS-I	3.41
4	Prof.Mankar M.R.	EA&M	2.30
5	Prof.N.B.Shaikh	DEM	3.33

Feedback received from S.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof. Deshmukh D D	FM&M	3.55
2	Prof.N B Shaikh	EM-I	2.59
3	Prof.Hadpe S S	PS-I	2.84
4	Prof.Gaikwad A G	NM&CP	3.29
5	Prof.Badgujar D S	NA	2.31

Remedial Measures as per feedback received from students

*According to the results of feedback analysis respective staffs are taking efforts to improvise overall performance.

HOD Electrical

(Prof.Thete S.A.)

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101

Pravara Rural Education Society's

SIR VISVESWARAYA INSTITUTE OF TECHNOLOGY, NASHIK

Department Of Electrical Engineering

Date: 2/8/2013

Report on Feedback Received from Students

Feedback received from B.E.Elect.

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	PSOC	3.55
2	Prof. Badgujar D S	PLC&SCADA	2.59
3	Prof.Hadpe S S	CS-II	2.84
4	Prof.Bankar D M	SG	3.29
5	Prof.N.B.Shaikh	PQ	2.31

Feedback received from T.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.R.B. Aware	E E & M	3.39
2	Prof.Deshmukh D D	AMCA	3.00
3	Prof. Hadpe S S	PE	3.41
4	Prof.Shingote S R	EIMT	3.00
5	Prof.N.B.Shaikh	M/C-II	3.33

Feedback received from S.E.Elect

Sr.No.	Name of the Staff	Subject	Rating
1	Prof.K.P.Varade	ADE	3.4
2	Prof.S.S.Kardel	M-III	3.00
3	Prof.Gaikwad G A	MS	3.3
4	Prof.Hadpe S S	PGT	3.00
5	Prof. Gaikwad G A	EMI	3.34

Remedial Measures as per feedback received from students

*According to the results of feedback analysis respective staffs are taking efforts to improvise overall performance.

HOD Electrical

(Prof.Thete S.A.)

H.O.D.
Dept. of Electrical Engg.
Sir. Visvesvaraya Institute of Technology
Chincholi, Nashik-422 101